


LIGHTWEIGHT -CONSTRUCTION BOARDS CROSSICORE[™]

Wide range of applications Cut to size according to drawing Individually adaptable



Status: 01.02.2021



Cross|CORE[™] is a lightweight construction board manufactured in sandwich construction. The board consists of our patented 3D|CORE[™] foam core and a standard top layer made of a plane glass fabric. The foam core and fabric are bonded together by a synthetic resin.

We supply Cross|CORE[™] construction panels not only as sheet goods according to your drawing, but also as cuts accurate to the millimetre including edge processing according to plan. Alternatively, our boards can also be reworked with common woodworking machines.

Due to the excellent mechanical properties and the best weight-cost ratio of our 3D|CORE[™] technology, we are free to realize your ideas. The manufacturing process is subject to strict controls, because the high quality standard of our products is the basis for satisfied customers.

APPLICATION AREAS

- Constructions
- Floors
- Walls
- Furniture construction
- Stages
- Machine housings

- Shipbuilding
- 🕘 Caravan
- Vehicle construction
- Trailers
- Cargo wagons
- Interior and exterior



Status: 01.02.2021

CHARACTERISTICS

- Environmentally friendly, recycled foam core (post-consumer 3D|CORE[™] PET GR)
- Durable moisture resistance (no expansion)
- Weather resistant
- Rot-resistant
- Rot-resistant
- No pest infestation
- Ourable
- Formaldehyde-free
- CFC and HCFC free
- Free from harmful impregnating substances
- High mechanical properties with low weight
- Excellent fatigue strength
- Good insulation properties
- High compressive strength
- Homogeneous structure
- Splinter-free, no risk of injury

Resistant to oils, alkalis, acids and seawater



Sustainability



Time savings



One-stop solution



Easy processing



Cost savings



Status: 01.02.2021

PROCESSING

- Screwable
- Uncomplicated processing
- Wide range of applications
- Problem-free coating of the boards e.g. with aluminium, PVC, HPL, CPL
- Processing with conventional woodworking machines and carbide-tipped woodworking tools



Sawing

<u> </u>

Milling



Drilling



Gluing



Status: 01.02.2021

EXAMPLES OF FITTINGS AND SCREWS





Edging

Hinge



Male and female thread

Metal plug

EXAMPLES OF SURFACES



Stone





Aluminium




Veneer



Status: 01.02.2021

	CrosslCORE [™] GR
STRUCTURE	HEXAGON
THICKNESSES*	10, 15, 20mm
TOLERANCE THICKNESS	+/- 0,3mm
MEASUREMENTS*	1200 x 2400mm
TOLERANCE MEASUREMENTS (LENGTH AND WIDTH)	+/- 5mm

*Further thicknesses and measurements possible after consultation






Status: 01.02.2021

	CrosslCORE [™] IT
STRUCTURE	HEXAGON
THICKNESSES*	22, 24, 25mm
TOLERANCE THICKNESS	+/- 0,3mm
MEASUREMENTS*	1200 x 2440mm
TOLERANCE MEASUREMENTS (LENGTH AND WIDTH)	+/- 5mm

*Further thicknesses and measurements possible after consultation






Status: 01.02.2021

	CrosslCORE [™] GR IT light
STRUCTURE	NONE
THICKNESSES*	22, 24, 25mm
TOLERANCE THICKNESS	+/- 0,3mm
MEASUREMENTS*	1200 x 2440mm
TOLERANCE MEASUREMENTS (LENGTH AND WIDTH)	+/- 5mm

*Further thicknesses and measurements possible after consultation



3DCORETM all around composites



DISTRIBUTED BY FIBERLINK INC. 55 Valleywood Drive, Markham, Ontario L3R 5L9 Canada www.fiberglassfiberlink.com Phone: 905-475-2300 Email: sales@fiberglassfiberlink.com

CONNECT WITH US:

